### **Short data sheet**

# HP Color LaserJet Pro MFP M177fw



This affordable HP Color LaserJet Pro MFP brings vibrant colour printing in-house, and boosts productivity with Ethernet connectivity. Enable easy printing at work, home, or on the go with mobile printing features.<sup>1</sup>



#### Small size, big value

- Impress with professional colour—show your best work with vivid documents and keep black printing costs low.
- Go from zero to the first print out in a matter of seconds.
- Speed through document tasks. Set the pace for success with an MFP that prints, copies, and scans—fast.

### Easy control, at your fingertips

• Easily copy both sides of a two-sided ID or other small document onto the front of a single-page.

#### **Print on your terms**

- Print from virtually anywhere with Apple® AirPrint  $^{TM}.^2$
- Print from your mobile device with built-in print capability or the HP ePrint app and software.<sup>1</sup>
- ¹ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to the printer. Wireless performance is dependent on physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.
- <sup>2</sup> Supports OS X® Lion, OS X Mountain Lion and the following devices running iOS 4.2 or later: iPad® (all models), iPhone® (3GS or later), and iPod touch® (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the United States and other countries. AirPrint™ and the AirPrint logo are trademarks of Apple lnc.

## **Technical specifications**

AIO functions	Print, copy, scan, fax; <b>AiO multitasking supported:</b> Yes
Print	
Duplex print options	Manual (driver support provided)
Speed <sup>1</sup>	Black (A4): Up to 16 ppm; Colour (A4): Up to 4 ppm
First page out	Black (A4): As fast as 16 sec; Colour (A4): As fast as 27.5 sec
Technology	Laser
Resolution	Black (best): Up to ImageREt 2400; Colour (best): Up to ImageREt 2400
Print resolution technologies	600 x 600 dpi, HP ImageREt 2400
Print cartridges number	4 (1 each black, cyan, yellow, magenta), 1 imaging drum
Printer smart software features	HP Auto-On/Auto-Off
Mobile printing capability <sup>2</sup>	HP ePrint, Wireless direct printing, Apple AirPrint™, Mobile Apps
Standard print languages	PCLm
Printer management	Windows: HP Device Toolbox, Status Alerts (default install); Mac: HP Utility
<u>Scan</u>	
Speed <sup>3</sup>	Up to 7.5 ipm (b&w), up to 5.5 ipm (colour)
Type	Flatbed, ADF
Technology	Contact Image Sensor (CIS)
Resolution	Hardware: Up to 1200 dpi; Optical: Up to 1200 dpi; Enhanced: Up to 1200 x 1200 dpi
File format	Windows Scan SW supports file format: JPG, RAW(BMP), PDF, TIFF, PNG; Mac Scan SW supports file format:
	TIFF, PNG, JPEG, JPEG-2000, PDF, PDF-Searchable, RTF, TXT
Input modes	Scanning via HP LaserJet scan application or TWAIN—or WIA-compliant application software
Scan size maximum	<b>ADF, Flatbed:</b> 216 x 297 mm (8.5 x 11.7 in)
Twain version	Version 1.9
Bit depth/Greyscale levels	24 bit/256
Copy	Plant (AA) Ha to 10 years Calour (AA) Ha to 4 ye
Speed <sup>4</sup>	Black (A4): Up to 16 cpm; Colour (A4): Up to 4 cpm
Resolution	Black (text): Up to 300 x 300 dpi; Black (graphics): Up to 400 x 600 dpi; Colour (text and graphics):
	Up to 300 x 300 dpi
Max number of copies	Up to 99 copies
Copier reduce enlarge	25 to 400%
Copier settings	Number of copies; Lighter/Darker; Reduce/Enlarge; Optimize (draft, text, mixed, picture); Paper Size,
	Collation Collation
Copier smart software features	Up to 99 multiple copies; Reduce/Enlarge from 25% to 400%; Contrast (lighter/darker);
	Resolution (copy quality), ID Copy
Fax	H + 22.6H - 2
Transmission Speed <sup>5</sup>	Up to 33.6 kbps; 3 sec per page
Resolution	Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi; Black and White (fine): 203 x 196 dpi,
	256 levels of gray; <b>Black and White (superfine):</b> 300 x 300 dpi or 203 x 392 dpi, 256 levels of grey;
	Black Photo Greyscale: 300 x 300 dpi (halftone)
Fax smart software features	Fax address book; LAN/Internet fax; Speed-dial; TAM interface
Memory Features	Up to 500 pages
redures	Auto fax reduction supported: Yes; Auto-Redialling: Yes; Fax delayed sending: Yes; Distinctive ring
	detection supported: Yes; Fax forwarding supported: Yes; Fax phone TAM interface supported: Yes; Fax polling supported: Yes; Junk barrier supported: Yes; PC interface supported: Yes; Telephone
Connectivity	handset supported: No; Fax telephone mode supported: Yes
	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port; Wireless 802.11b/g/n
Standard connectivity	Via built-in 10/100Base-T TCP/IP networking
Network roady	
Network ready Wireless sapability	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)
Wireless capability	Yes, built-in WiFi 802.11b/g/n
Modem	33.6 kbps
Memory Processor speed	128 MB 600 MHz
Duty cycle <sup>6</sup>	Up to 20,000 pages
	7 13
Recommended monthly page volume <sup>7</sup>	Up to 250 to 950 pages
Paper handling	Up to 150 shoots, 150 shoot input two.
Input	Up to 150 sheets; 150-sheet input tray
Output	Up to 50 sheets; 50-sheet face-down bin
Media type	Cut sheet paper, Label, Glossy paper, Envelopes, Post card, OHT, glossy film, $4 \times 6$ in photo paper
Media weight	Cut sheet paper: 60 to 120 g/m <sup>2</sup> (Stretch Goal: -163 g/m <sup>2</sup> ); <b>Envelopes:</b> 60 to 90 g/m <sup>2</sup> ;
	<b>Post Cards:</b> 135 to 176 g/m <sup>2</sup> (36 to 47 #); <b>HP glossy media:</b> 130 to 220 g/m <sup>2</sup>
Supported media sizes	A4, A5, A6, B5, 16k, 10 x 15 cm, post cards (JIS single and double); envelopes (DL, C5, B5)
Dimensions (W x D x H)	423 x 425 x 335 mm
Weight	16 kg
What's in the box	HP Color LaserJet Pro MFP M177fw; Preinstalled introductory HP LaserJet Black, Cyan, Yellow, Magenta
	print cartridges (~500 pages); Imaging drum, Toner collection unit; Installation guide, Getting Started guide, User's Guide, Support flyer, Warranty guide; Printer documentation and software on CD-ROM; Software
	Using Claude Support tiver warranty duide: Brinter decumentation and cottware on CD-DOM: Software
	, 11 , , , , , , , , , , , , , , , , ,
	drivers and documentation on CD-ROMs; CDs containing software and electronic documentation; power
Warranty features	, 11 , , , , , , , , , , , , , , , , ,

## **Technical specifications**

Compatible operating systems	Full software installs supported on: Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (32-bit) (SP2 or higher); Driver only installs supported on: Windows 2012; Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (x64) (SP1), Windows Server 2008 (Standard Edition), Windows Server 2008 (Enterprise Edition), Windows Server 2003 (32-bit/64-bit) (SP1 or higher), Windows XP (64-bit) (SP2 or higher); Mac OS X v 10.6.8 or higher; Linux: Please check Linux on-line support: hplipopensource.com/hplip-web/install.html			
Minimum system requirements	PC: Windows 8 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), Windows XP 32-bit (SP2 or higher); Minimum hard disk space required (CD and Web Package) 200 MB; Minimum hard disk space required (Box Spec for Smart Install) 400 MB; Minimum RAM installed 512 MB CD-ROM/DVD or internet, USB or Network port; Mac: Mac OSX v 10.6; PowerPC G4, G5, or Intel® Core™ Processor; 500 MB available hard disk space; CD-ROM/DVD-ROM or Internet; USB or Network port			
Fonts and Typefaces	Depend on OS fonts and typefaces			
Control panel	3.0 inch 960(W) x 240(H) pixel backlit graphical display touch screen; Buttons (Home, Cancel, Help, Right/Left Arrows, Back); LED indicator lights (Ready, Error, Wireless)			
Power	Power supply type: Built-in power supply Power supply required: Input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz); Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier) Power consumption: <sup>9</sup> 290 watts (Printing), 200 watts (Copying), 9.2 watts (Ready), 1.3 watts (Sleep/Auto-Off), 0.2 watts (Manual Off)			
Software included	Windows: HP Installer/Uninstaller, HP PCLmS print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, Status Alerts, HP Update, DXP  Mac: HP Installer/Uninstaller, HP PCLmS driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Alerts, HP Firmware Updater			
Acoustic <sup>9</sup>	Acoustic power emissions: 6.2 B(A) Acoustic power emissions (active copy): 6.6 B(A) Acoustic power emissions (active scan): 6.4 B(A) Acoustic power emissions (ready): Inaudible Acoustic pressure emissions bystander (active copy): 53 dB(A) Acoustic pressure emissions bystander (active scan): 50 dB(A) Acoustic pressure emissions bystander (active, printing): 49 dB(A) Acoustic pressure emissions bystander (ready): Inaudible			
Operating environment	Operating humidity range: 10 to 80% RH Non-operating humidity range: 10 to 95% RH Recommended operating humidity range: 30 to 70% RH Operating temperature range: 15 to 30° C (50 to 86° F) Recommended operating temperature range: 17.5 to 25° C (63.5 to 77° F) Storage temperature range: -4 to 140° F (-20 to 60° C)			
Security management	Password-protected network embedded Web server; 802.11: WEP, WPA, WPA2; SNMPv1 community password change			
Electromagnetic emission standard	CISPR 22:2008/EN 55022:2010 - Class B, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024:2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 5, GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC (Europe), other EMC approvals as required by individual countries			
Safety approvals and requirements	IEC 60950-1:2005 +A1 (International), EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 (EU), IEC 60825-1:2007, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1:2007 (Class 1 Laser/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe), other safety approvals as required by individual countries			
Accessories	HP NFC/Wireless 1200w Mobile Print Accessory, E5K46A			

### **Ordering Information**

Description

Number

### **HP Care Packs**

Number

CZ165A	HP Color Laser let Pro	UZ322E	HP 1-year Service Plan with Next Day Exchange for Color LaserJet MFP Printers
CZTOSIT	MFP M177fw	UZ323E	HP 2-year Service Plan with Next Day Exchange for Color LaserJet MFP Printers
	MILE MILLLIM		, , , , , , , , , , , , , , , , , , , ,
		UZ324E	HP 3-year Service Plan with Next Day Exchange for Color LaserJet MFP Printers
Supplies <sup>10</sup> UZ325E UZ326E		UZ325E	HP 4-year Service Plan with Next Day Exchange for Color LaserJet MFP Printers
		UZ326E	HP 5-year Service Plan with Next Day Exchange for Color LaserJet MFP Printers
		UZ327PE	HP 1-year Post Warranty Service Plan with Next Day Exchange for Color
Number	Description		Laser Jet MFP Printers
CF350A	HP 130A Black LaserJet	UZ328E	HP 2-year Service Plan with Return to Depot Support for Color LaserJet MFP Printers
	Toner Cartridge (~1300 yield)		, , , , , , , , , , , , , , , , , , , ,
CF351A	HP 130A Cyan LaserJet Toner	UZ329E	HP 3-year Service Plan with Return to Depot Support for Color LaserJet MFP Printers
אוכנוט	3	UZ330E	HP 4-year Service Plan with Return to Depot Support for Color LaserJet MFP Printers
	Cartridge (~1000 yield)	UZ331E	HP 5-year Service Plan with Return to Depot Support for Color LaserJet MFP Printers
CF352A	HP 130A Yellow LaserJet	UZ339E	HP 1-year Service Plan with Onsite Exchange for Color LaserJet MFP Printers
	Toner Cartridge (~1000 yield)		· · · · · · · · · · · · · · · · · · ·
CF353A	HP 130A Magenta LaserJet	UZ340E	HP 2-year Service Plan with Onsite Exchange for Color LaserJet MFP Printers
CIDDDIN	2	UZ341E	HP 3-year Service Plan with Onsite Exchange for Color LaserJet MFP Printers
	Toner Cartridge (~1000 yield)	UZ342E	HP 4-year Service Plan with Onsite Exchange for Color LaserJet MFP Printers
CE314A	HP 126A LaserJet Imaging	UZ343E	HP 5-year Service Plan with Onsite Exchange for Color LaserJet MFP Printers
	Drum	0Z343E	TIE DEVOCE FLATI WILLT OTISILE EXCHANGE FOI COLOI EASEIDEL MER PHILLEIS

Description













### Supported paper

Asia Pacific: hp.com/apac/printingsupplies

### **Solutions**

For more solutions information, please visit hp.com/go/gsc

### **HP offices**

ı.cn
ı.hk
ı/in
n/id
1/jp
<u>r</u>
ı.my
Z
ı/ph
ı.sg
ı.tw
<u>/th</u>
ı/vn

For the following countries, please fax your queries to: (65) 6275 6707 Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Srilanka For more information, please visit us at hp.com/apac/homeandoffice

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- May require a firmware upgrade to be compatible, download at hp.com/go/support
- 3 Scan speeds of up to 7.5 ipm (b&w), up to 5.5 ipm (colour) measured from ADF. The listed scan speeds are the rate at which the device operates, no matter what type of image is scanned. The resulting time to the scan appearing on the host will be a function of PC speed, network speed, and file size. The file size will be determined by the image content of the scanned target. Generally, the more image content, the larger the file size and a resulting increase in scanning time.
- First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/products1/ISO/digital\_copy/index.html. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>5</sup> Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- 6 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- <sup>7</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 8 Values subject to change. Power numbers are the highest values measured using all standard voltages. See hp.com/support for current information. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 9 Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: Color LaserJet Pro MFP M177fw, simplex printing with A4 paper. Color LaserJet Pro MFP M177fw, ADF copy and print simplex using A4 paper.
- 10 Replacement cartridge average composite (C/Y/M) declared yield ~1,000 and average black yield ~1,300 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. Imaging drum yield is ~14,000 pages when printing in black; -7,000 pages when printing in colour; ~9,000 to 10,000 pages when printing in average customer conditions. Pages may vary based on customer printing conditions and usage.

#### Warranty is country Specific for more details. Please visit hp.com/go/hpsc

### For more information visit our website at hp.com

